# Another exciting FIRST for

FAULTLESS







SHEETS MAY BE INSERTED INSTANTLY

### **POSTS SWING CLOSED**

COME TOGETHER AUTOMATICALLY

#### No Dismantling of Binder is Necessary

Here at last is a catalog binder that need not be taken apart to remove or insert sheets! *It swings open and closed* ... so smoothly ... so easily that it's almost unbelievable. No more spilled sheets — no more fumbling to get the posts back together — the "Slide-Hinge" does it automatically, saving time and temper.

You'll like the easier-to-operate locking slide, too. Push to open... push to close! It also folds down against the cover, allowing sheets to lay perfectly flat. The expansion feature is another big advantage. It permits *full visibility* of every sheet, right to the binding edge.

Yes, here is a truly revolutionary catalog binder that offers a great new advance in loose leaf design — yet its price compares with that of ordinary binders.

- Metal hinge is recessed it cannot scratch.
- Available with recessed metal label holder.
- Fine quality construction provides lasting durability.
- Ideal solution where giant capacity ring binder is needed.
- Made in 2" and 3" capacity; fabric hinge or metal hinge.





Heavy duty construction with steel back and Recessed Steel Hinges. Bound in black levant grain Duraleather. SH-2282 — 11 x 8½" — 2" Capacity SH-2283 — 11 x 8½" — 3" Capacity

## STATIONERS LOOSE LEAF COMPANY

General Offices: 246 E. Chicago Street Eastern Branch: 114-116 East 13th Street Milwaukee 1, Wisconsin New York 3, New York

#### The new Faultless

# "SLIDE-HINGE" CATALOG BINDER is SO MUCH EASIER to OPERATE

#### SWINGS OPEN EASILY FOR QUICK INSERTION OF SHEETS!



TO OPEN — Push locking slide down from top, first lifting slightly to release its catch. The cover will then drop to flat position. Insert hand, palm up, between sheets at any point. Raise sheets straight up until posts disengage — then swing sheets over to open position.



TO CLOSE — Raise left hand sheets. Insert fingers under lifting bar and swing sheets up and over, with assistance of other hand. Hinge automatically brings posts back to closing position. When vertical, they telescope together in perfect alignment. Next, raise cover and push locking slide closed.



TO EXPAND FOR FULL VISIBILITY — Push locking slide down from top, releasing cover to flat position. Open sheets to normal working position without disengaging posts. Hinge assembly will then tip to flat position. Insert fingers of both hands along binding edge and spread sheets apart. Hinge and posts then expand, providing full visibility of sheets.



HINGE ASSEMBLY OPERATION — Detail and sturdy construction of the slide-hinge assembly are clearly shown here. Locking slide folds flat when cover is released. Lifting bar, posts and hinge are all in one piece, which swings on a steel pivot when raised straight up so that posts are disengaged. Hinge operates smoothly, easily, and binder need never be dismantled to insert or remove sheets.

#### **CONSTRUCTION FEATURES**

#### STANDARD BINDER

BINDING — Full black levant grain Duraleather, stiff covers, bound flat back, black leatherette lining. Reinforced Fabric Hinges. Single blind framing on top cover. Furnished with black moire fly leaves.

METAL — Patented slide-hinge mechanism. Top hinged plate is permanently attached to sliding hinges and acts as a sheet lifting bar. Three  $\frac{7}{32}$  inch telescoping posts made to fit ring binder punching,  $8\frac{1}{2}$  inch outside centers.

CAPACITY — 2 Inch and 3 Inch capacities.

#### **HEAVY DUTY BINDER**

BINDING — Full black levant grain Duraleather, stiff covers, bound steel flat back, black leatherette lining. Recessed Metal Hinges. Single blind framing on top cover. Furnished with black moire fly leaves.

METAL — Heavy duty all-steel construction, steel back with steel hinges. Patented slide-hinge mechanism. Top hinged plate is permanently attached to sliding hinges and acts as a lifting bar. Recessed Metal Hinges. Three  $\frac{1}{32}$  inch telescoping posts made to fit ring binder punching,  $8\frac{1}{2}$  inch outside centers.

CAPACITY — 2 Inch and 3 Inch capacities.

Stock No.	Type of Construction	Sheet Size	Capacity	Number and Diam, of Posts
SH-1182	Standard	11 x 8½"	2-Inch	Three, 7/32"
SH-1183	Standard	11 x 8½"	3-Inch	Three, 7/32"
SH-2282	Heavy Duty	11 x 8½"	2-Inch	Three, 7/32"
SH-2283	Heavy Duty	11 x 8½"	3-Inch	Three, 7/32"

9,80 10.70 (w/2 laber) 11.80 12:20

FAULTLESS

# STATIONERS LOOSE LEAF COMPANY

General Offices: 246 E. Chicago Street Eastern Branch: 114-116 East 13th Street Milwaukee 1, Wisconsin

New York 3, New York



# STATIONERS LOOSE LEAF COMPANY

46 EAST CHICAGO STREET • MILWAUKEE 1, WISCONSIN • POST OFFICE BOX 1759 • BROADWAY 6-293

June 7, 1965

T. Nelson, Systems Consultant Box 1546 Poughkeepsie, New York

#### Gentlemen:

Your request for more information about the revolutionary new Faultless Slide-Hinge Catalog Binder has reached us through "The Office" magazine.

In the Slide-Hinge Catalog Binder you may quickly and easily insert or remove a sheet at any point. It operates with the ease of a ring binder. It eliminates the old problem of difficult sheet insertion which has always been the curse of all catalog binders.

The enclosed circular illustrates and describes the Slide-Hinge Binder, with full information.

You may order the Faultless Slide-Hinge Binder from the following Faultless dealer, well prepared to give you excellent service.

Eggleston Office Equipment Co. 41 New Market Street Poughkeepsie, New York

Yours very truly,

STATIONERS LOOSE LEAF CO.

Henry Orth AK

HO:amk Enc.